

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	387	(hue near5 angle\$1) with (calculat\$3 or determin\$3 or comput\$5 or estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:57
L2	8	l1 and octan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:02
L3	15	l1 and (arc adj5 (tan or tangent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:28
L4	24	l1 and (octant or ("45" adj5 degree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:43
L5	14	l1 and 345/597,600,603,604,605.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:01
L6	58	l1 and 358/1.9,518,519,520.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:16
L7	12	l1 and 348/649,650,653,654.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:17

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	387	(hue near5 angle\$1) with (calculat\$3 or determin\$3 or comput\$5 or estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:43
L2	8	l1 and octan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:02
L3	15	l1 and (arc adj5 (tan or tangent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:28
L4	24	l1 and (octant or ("45" adj5 degree\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:43
L5	14	l1 and 345/597,600,603,604,605.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:01
L6	58	l1 and 358/1.9,518,519,520.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:16
L7	12	l1 and 348/649,650,653,654.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:19
L8	36	l1 and 382/162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:20
L9	35	l1 and (angle near9 (offset\$3 or off-set\$3 or shift\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:44
L10	16	l1 and ((add\$3 or subtract\$3 or adjust\$3 or correct\$3) same(angle near9 (offset\$3 or off-set\$3 or shift\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:58

L11	8	l1 and (multipl\$4 with (hue adj5 angle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:02
L12	0	l11 and XOR\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:03